



I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail on this 7th day of April, 2004, in an envelope addressed to Mail Stop Certificate of Correction Commissioner for Patents, P.O. Box 1450 Alexandria, VA 22313-1450.

s/ Sherry Thompson
Sherry Thompson

Attorney Docket No. 24493B

Cal
P

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No. 6,709,994 B2)
Issued: March 23, 2004)
Inventor(s): Miller)
Patent Owner: Owens-Corning Fiberglas Technology, Inc.)
Serial No.: 10/055,774)
Confirmation No.: 1085)
Filed: 1/22/02)
Title: Storm Proof Roofing Material)

Certificate
APR 16 2004
of Correction

RECEIVED
JUN 23 2004
TC 1700

REQUEST FOR CERTIFICATE OF CORRECTION

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Patent Owner respectfully requests the Patent and Trademark Office (PTO) to issue a certificate of correction under 35 USC 254 and 37 CFR 1.322 in the above-identified patent to correct the error(s) identified on Form PTO 1050, which is enclosed in duplicate. The error(s), which are clerical in nature, is/are the fault of the PTO, as evidenced by the official file for the patent.

If any fee is due in connection with this paper, please charge all required fees to Deposit Account No. 50-0568.

Respectfully submitted,

James J. Dottavio
James J. Dottavio
Registration No 40,360

Date: 4-6-04

Owens Corning
Patent Department, Building 11-7
2790 Columbus Road
Granville, Ohio 43023

APR 16 2004

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : 6,709,994 *B2*

DATED : March 23, 2004

INVENTOR(S) : Miller

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 2, Line 40, Column 14, "impart" should read "impact"

Claim 6, Line 1, Column 15, "UL 22 18" should read "UL 2218"

Claim 7, Line 6, Column 15, "rooting" should read "roofing"

Claim 15, Line 7, Column 16, "ms" should read "as"

MAILING ADDRESS OF SENDER:

Owens Corning Science & Technology Center
Bldg 54-1, 2790 Columbus Road
Granville, Ohio 43023-1200

PATENT NO. 6,709,994

No. of additional copies



Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

APR 16 2004